

1 **AN EXAMPLE ARTICLE***

2 DIANNE DOE[†], PAUL T. FRANK[‡], AND JANE E. SMITH[‡]

3 **Abstract.** This is an example SIAM L^AT_EX article. This can be used as a template for new
4 articles. Abstracts must be able to stand alone and so cannot contain citations to the paper's
5 references, equations, etc. An abstract must consist of a single paragraph and be concise. Because
6 of online formatting, abstracts must appear as plain as possible. Any equations should be inline.

7 **Key words.** example, L^AT_EX

8 **MSC codes.** 68Q25, 68R10, 68U05

9 **1. Introduction.** The introduction introduces the context and summarizes the
10 manuscript. It is importantly to clearly state the contributions of this piece of work.
11 The next two paragraphs are text filler, generated by the `lipsum` package.

12 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auc-
13 tor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus.
14 Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare
15 odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras
16 nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis par-
17 turient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper
18 vestibulum turpis. Pellentesque cursus luctus mauris.

19 Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tin-
20 cidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellen-
21 tesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed
22 diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ip-
23 sum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat
24 magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque
25 tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus.
26 Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam
27 vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

28 The paper is organized as follows. Our main results are in section 2, our new
29 algorithm is in section 3, experimental results are in section 4, and the conclusions
30 follow in section 6.

31 **2. Main results.** We interleave text filler with some example theorems and
32 theorem-like items.

33 Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus
34 tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac
35 habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc
36 elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollici-
37 tudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor.
38 Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

39 Here we state our main result as Theorem 2.1; the proof is deferred to section SM2.

40 **THEOREM 2.1** (*LDL^T Factorization [1]*). *If $A \in \mathbb{R}^{n \times n}$ is symmetric and the*

*Submitted to the editors DATE.

Funding: This work was funded by the Fog Research Institute under contract no. FRI-454.

[†]Imagination Corp., Chicago, IL (ddoe@imag.com, <http://www.imag.com/~ddoe/>).

[‡]Department of Applied Mathematics, Fictional University, Boise, ID (ptfrank@fictional.edu, jesmith@fictional.edu).

41 *principal submatrix* $A(1 : k, 1 : k)$ *is nonsingular for* $k = 1 : n - 1$, *then there exists a*
 42 *unit lower triangular matrix* L *and a diagonal matrix*

$$43 \quad D = \text{diag}(d_1, \dots, d_n)$$

44 *such that* $A = LDL^T$. *The factorization is unique.*

45 Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet
 46 vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie
 47 non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales
 48 cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede
 49 lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc.
 50 Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu
 51 est, nonummy in, fermentum faucibus, egestas vel, odio.

52 **THEOREM 2.2** (Mean Value Theorem). *Suppose* f *is a function that is continu-*
 53 *ous on the closed interval* $[a, b]$. *and differentiable on the open interval* (a, b) . *Then*
 54 *there exists a number* c *such that* $a < c < b$ *and*

$$55 \quad f'(c) = \frac{f(b) - f(a)}{b - a}.$$

56 *In other words,*

$$57 \quad f(b) - f(a) = f'(c)(b - a).$$

58 Observe that Theorems 2.1 and 2.2 and Corollary 2.3 correctly mix references to
 59 multiple labels.

60 **COROLLARY 2.3.** *Let* $f(x)$ *be continuous and differentiable everywhere. If* $f(x)$
 61 *has at least two roots, then* $f'(x)$ *must have at least one root.*

62 *Proof.* Let a and b be two distinct roots of f . By Theorem 2.2, there exists a
 63 number c such that

$$64 \quad f'(c) = \frac{f(b) - f(a)}{b - a} = \frac{0 - 0}{b - a} = 0. \quad \square$$

65 Note that it may require two L^AT_EX compilations for the proof marks to show.
 66 Display matrices can be rendered using environments from `amsmath`:

$$67 \quad (2.1) \quad S = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \quad \text{and} \quad C = \begin{pmatrix} 1 & 1 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{pmatrix}.$$

68 Equation (2.1) shows some example matrices.

69 We calculate the Fréchet derivative of F as follows:

$$70 \quad (2.2a) \quad F'(U, V)(H, K) = \langle R(U, V), H\Sigma V^T + U\Sigma K^T - P(H\Sigma V^T + U\Sigma K^T) \rangle$$

$$71 \quad \quad \quad = \langle R(U, V), H\Sigma V^T + U\Sigma K^T \rangle$$

$$72 \quad (2.2b) \quad \quad \quad = \langle R(U, V)V\Sigma^T, H \rangle + \langle \Sigma^T U^T R(U, V), K^T \rangle.$$

74 Equation (2.2a) is the first line, and (2.2b) is the last line.

75 **3. Algorithm.** Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque
 76 eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus
 77 faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus
 78 volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula.
 79 Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi
 80 nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc
 81 augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam
 82 erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis,
 83 suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam.
 84 Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

85 Our analysis leads to the algorithm in Algorithm 3.1.

Algorithm 3.1 Build tree

```

Define  $P := T := \{\{1\}, \dots, \{d\}\}$ 
while  $\#P > 1$  do
  Choose  $C' \in \mathcal{C}_p(P)$  with  $C' := \operatorname{argmin}_{C \in \mathcal{C}_p(P)} \varrho(C)$ 
  Find an optimal partition tree  $T_{C'}$ 
  Update  $P := (P \setminus C') \cup \{\bigcup_{t \in C'} t\}$ 
  Update  $T := T \cup \{\bigcup_{t \in \tau} t : \tau \in T_{C'} \setminus \mathcal{L}(T_{C'})\}$ 
end while
return  $T$ 

```

86 Curabitur ac lorem. Vivamus non justo in dui mattis posuere. Etiam accumsan
 87 ligula id pede. Maecenas tincidunt diam nec velit. Praesent convallis sapien ac est.
 88 Aliquam ullamcorper euismod nulla. Integer mollis enim vel tortor. Nulla sodales
 89 placerat nunc. Sed tempus rutrum wisi. Duis accumsan gravida purus. Nunc nunc.
 90 Etiam facilisis dui eu sem. Vestibulum semper. Praesent eu eros. Vestibulum tellus
 91 nisl, dapibus id, vestibulum sit amet, placerat ac, mauris. Maecenas et elit ut erat
 92 placerat dictum. Nam feugiat, turpis et sodales volutpat, wisi quam rhoncus neque,
 93 vitae aliquam ipsum sapien vel enim. Maecenas suscipit cursus mi.

94 **4. Experimental results.** Quisque facilisis auctor sapien. Pellentesque gravida
 95 hendrerit lectus. Mauris rutrum sodales sapien. Fusce hendrerit sem vel lorem. Inte-
 96 ger pellentesque massa vel augue. Integer elit tortor, feugiat quis, sagittis et, ornare
 97 non, lacus. Vestibulum posuere pellentesque eros. Quisque venenatis ipsum dictum
 98 nulla. Aliquam quis quam non metus eleifend interdum. Nam eget sapien ac mauris
 99 malesuada adipiscing. Etiam eleifend neque sed quam. Nulla facilisi. Proin a ligula.
 100 Sed id dui eu nibh egestas tincidunt. Suspendisse arcu.

101 Figure 1 shows some example results. Additional results are available in the
 102 supplement in Table 1.

103 Table 1 shows additional supporting evidence.

TABLE 1
Example table.

Species	Mean	Std. Dev.
1	3.4	1.2
2	5.4	0.6
3	7.4	2.4
4	9.4	1.8

104 Maecenas dui. Aliquam volutpat auctor lorem. Cras placerat est vitae lectus.




FIG. 1. Example figure using external image files.

105 Curabitur massa lectus, rutrum euismod, dignissim ut, dapibus a, odio. Ut eros erat,
 106 vulputate ut, interdum non, porta eu, erat. Cras fermentum, felis in porta congue,
 107 velit leo facilisis odio, vitae consectetur lorem quam vitae orci. Sed ultrices, pede eu
 108 placerat auctor, ante ligula rutrum tellus, vel posuere nibh lacus nec nibh. Maecenas
 109 laoreet dolor at enim. Donec molestie dolor nec metus. Vestibulum libero. Sed quis
 110 erat. Sed tristique. Duis pede leo, fermentum quis, consectetur eget, vulputate sit
 111 amet, erat.

112 **5. Discussion of $Z = X \cup Y$.** Curabitur nunc magna, posuere eget, vene-
 113 natis eu, vehicula ac, velit. Aenean ornare, massa a accumsan pulvinar, quam lorem
 114 laoreet purus, eu sodales magna risus molestie lorem. Nunc erat velit, hendrerit quis,
 115 malesuada ut, aliquam vitae, wisi. Sed posuere. Suspendisse ipsum arcu, scelerisque
 116 nec, aliquam eu, molestie tincidunt, justo. Phasellus iaculis. Sed posuere lorem non
 117 ipsum. Pellentesque dapibus. Suspendisse quam libero, laoreet a, tincidunt eget, con-
 118 sequat at, est. Nullam ut lectus non enim consequat facilisis. Mauris leo. Quisque
 119 pede ligula, auctor vel, pellentesque vel, posuere id, turpis. Cras ipsum sem, cursus
 120 et, facilisis ut, tempus euismod, quam. Suspendisse tristique dolor eu orci. Mauris
 121 mattis. Aenean semper. Vivamus tortor magna, facilisis id, varius mattis, hendrerit
 122 in, justo. Integer purus.

123 **6. Conclusions.** Some conclusions here.

124 **Appendix A. An example appendix.** Aenean tincidunt laoreet dui. Vestibu-
 125 lum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer
 126 ipsum lectus, fermentum ac, malesuada in, eleifend ut, lorem. Vivamus ipsum turpis,
 127 elementum vel, hendrerit ut, semper at, metus. Vivamus sapien tortor, eleifend id,
 128 dapibus in, egestas et, pede. Pellentesque faucibus. Praesent lorem neque, dignissim
 129 in, facilisis nec, hendrerit vel, odio. Nam at diam ac neque aliquet viverra. Morbi
 130 dapibus ligula sagittis magna. In lobortis. Donec aliquet ultricies libero. Nunc dictum
 131 vulputate purus. Morbi varius. Lorem ipsum dolor sit amet, consectetur adipiscing
 132 elit. In tempor. Phasellus commodo porttitor magna. Curabitur vehicula odio vel
 133 dolor.

134 LEMMA A.1. *Test Lemma.*

135 **Acknowledgments.** We would like to acknowledge the assistance of volunteers
 136 in putting together this example manuscript and supplement.

137

REFERENCES

- 138 [1] G. H. GOLUB AND C. F. VAN LOAN, *Matrix Computations*, The Johns Hopkins University Press,
139 Baltimore, 4th ed., 2013.